

WEICON Belt Dressing Spray

Technical Datasheet

Create Date: 25.06.2013 - Page 1/1

Introduction

Technical sprays are used in nearly all sectors of modern industry. These sprays are used for care and protection of surfaces, for cleaning, degreasing, dissolving and separating and are essential in daily business.



WEICON Belt Dressing Spray is a transparent belt coating based on synthetic elastomers for highly stressed drive belts of different kinds. WEICON Belt Dressing Spray can be used on many different belt types made of common materials like canvas, leather, rubber, or PVC. Some examples are:

- V-belts
- · link belts
- · drive belts
- lat beltsround belts
- toothed belts
- transmission belts
- · ripped belts
- · conveyor belts

Description

WEICON Belt Dressing Spray has been developed for industrial applications in machines, aggregates, compressors, pumps, generators, conveyors, mills, pillar drills, cooling units, CVT belt drives and ship engines; it is not suitable for driving belts in the automotive sector (Danger of soiling).

Properties:

- · Prevents belt slipping
- Transmits the complete driving power
- Removes squeaking noises
- Penetrates into the pores of the material
- Increases the friction and improves adhesion
- · Adheres and works immediately
- · Prevents static charging
- Ensures smooth operation
- Protects belts and slices against abrasion
- Cares and protects against aging

Technical data

Colour	colouriess
Odour	mineral oil

Temperature resistance -40 up to +80 °C Shelf life (minimum) 24 months

Storage

Pressurized container: protect from sunlight and do not expose to temperatures exceeding +50°C.

Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation.

We do guarantee the continuously high quality of our products. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON GmbH & Co. KG (Headquarter)

Königsberger Str. 255 · DE-48157 Münster P.O. Box 84 60 · DE-48045 Münster Germany

Tel. +49 (0) 251 / 93 22-0 Fax +49 (0) 251 / 93 22-244 Fax +49 (0) 251 / 93 22-233 Export www.weicon.de · info@weicon.de

WEICON Middle East L.L.C.

Jebel Ali Ind Area 3 · P.O. Box 118 216 Dubai · U.A.E

Phone +971 4 880 25 05 Fax +971 4 880 25 09 Mobile +971 50 545 99 83 www.weicon.ae · info@weicon.ae

WEICON Inc.

20 Steckle Place · Unit 20 Kitchener · Ontario · N2E 2C3 Canada

Phone +1 519 896 5252 Fax +1 519 896 5254 Cell +1 519 590 5168 www.weicon.ca · info@weicon.ca

WEICON Kimya Sanayi Tic. Ltd. Şti.

Yenibosna Mahallesi Yalçın Koreş Caddesi Arifağa Sokak No: 29 Kat: 3 34530 Yenibosna – Istanbul Turkey www.weicon.biz.tr · info@weicon.biz.tr

WEICON Romania SRL

Str. Depozitelor 22 540240 Targu Mures, jud. Mures Romania www.weicon.com · office@weicon.com