

Rust-Shock

Introduction

Technical sprays are used in nearly all sectors of modern industry. These sprays are used for care and protection of surfaces, for cleaning, degreasing, dissolving and separating and are essential in daily business.



WEICON Rust-Shock, the "chemical screwdriver," loosens all kinds of rusted screw connections: It works within seconds due to its two-fold function:

- The special composition of the materials generates a "chill effect" on the corroded work piece. WEICON Rust-Shock deeply penetrates into these small spaces created by this cold shrinking process due to its high capillary effect.

- There, it loses the rust crystals in seconds and thus neutralises the connection between the rust layers.

WEICON Rust-Shock is free of mineral oil, silicone, and grease and thus works completely without residue and leaves no traces. Treated spots can already be painted over after a few minutes.

Applications

- Car servicing and repair
- Construction and agricultural machines
- Navigation
- Oil industry
- Power plants and chemical industry
- Heavy industry and mining

Technical data

Colour	blue
Odour	solvent
Temperature resistance	--- °C
Shelf life (minimum)	12 months
Special features	Removes rusted-tight screw connections of any type in seconds

Pretreatment of the surface

Shake can before use. Spray Rust Shock at about 15 cm distance onto the part to be treated and let it work for 10 - 20 seconds.

Then unscrew the connection. With extremely rusted parts, repeat the process.

Processing

Shake can before use. Spray Rust Shock at about 15 cm distance onto the part to be treated and let it work for 10 - 20 seconds.

Then unscrew the connection. With extremely rusted parts, repeat the process.

Storage

Pressurized container: protect from sunlight and do not expose to temperatures exceeding +50°C.

Note

The specifications and recommendations given in this technical data sheet must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation.

We do guarantee the continuously high quality of our products.

However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended.

A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.

WEICON GmbH & Co. KG (Headquarter)

Königsberger Str. 255 · DE-48157 Münster
P.O. Box 84 60 · DE-48045 Münster
Germany

Tel. +49 (0) 251 / 93 22-0
Fax +49 (0) 251 / 93 22-244
Fax +49 (0) 251 / 93 22-233 Export
www.weicon.de · info@weicon.de

WEICON Middle East L.L.C.

Jebel Ali Ind Area 3 · P.O. Box 118 216
Dubai · U.A.E

Phone +971 4 880 25 05
Fax +971 4 880 25 09
Mobile +971 50 545 99 83
www.weicon.ae · info@weicon.ae

WEICON Inc.

20 Steckle Place · Unit 20
Kitchener · Ontario · N2E 2C3
Canada

Phone +1 519 896 5252
Fax +1 519 896 5254
Cell +1 519 590 5168
www.weicon.ca · info@weicon.ca

WEICON Kimya Sanayi Tic. Ltd. Şti.

Yenibosna Mahallesi Yalçın Koreş Caddesi
Arifağa Sokak No: 29 Kat: 3
34530 Yenibosna – İstanbul Turkey
www.weicon.biz.tr · info@weicon.biz.tr

WEICON Romania SRL

Str. Depozitelor 22
540240 Targu Mures, jud. Mures Romania
www.weicon.com · office@weicon.com