



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Name of product** Plastic-Metal A Hardener (GB)  
Code-Nr. 100002

### 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended intended purpose(s)

2-Component Epoxy Resin - Hardener Component

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer/distributor

WEICON GmbH & Co. KG  
Königsberger Straße 255, DE-48157 Münster  
Postbox 84 60, DE-48045 Münster  
Phone ++49(0)251 / 9322 - 0, Fax ++49(0)251 / 9322-244  
E-Mail : info@weicon.de  
Internet : www.weicon.de

#### Advice

Abteilung Angebote, Verkauf, Export  
Phone ++49(0)251 / 9322 - 0  
E-mail (competent person):  
info@weicon.de

### 1.4. Emergency telephone number

#### Emergency advice

Giftnotruf Bonn: Bei Vergiftungen (in case of poisoning)  
Phone ++49(0)228-19 240

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to 67/548/EEC or 1999/45/EC

Xi; R36/38  
R43

#### R-phrases

36/38 Irritating to eyes and skin.  
43 May cause sensitisation by skin contact.

### 2.2. Label elements

#### Labelling according to 1999/45/EC

#### Remarks for labelling

The product is classified and labelled in accordance with EC directives.

Xi Irritant

#### R-phrases

36/38 Irritating to eyes and skin.  
43 May cause sensitisation by skin contact.

#### S-phrases

24 Avoid contact with skin.  
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
37/39 Wear suitable gloves and eye/face protection.  
46 If swallowed, seek medical advice immediately and show this container or label.

#### Hazardous ingredients for labeling

3,6-diazaoctanethylenediamin



### 2.3. Other hazards

#### Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

## SECTION 3: Composition/ information on ingredients

### 3.1. Substances

not applicable

### 3.2. Mixtures

#### Description

Modified polyamine

#### Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to 67/548/EEC
90-72-2	202-013-9	2,4,6-tris(dimethylaminomethyl)phenol	1 - 5	Xn R22; Xi R36/38
112-24-3	203-950-6	3,6-diazaoctanethylenediamin	< 10	Xn R21; C R34; R43; R52-53
14807-96-6	238-877-9	talcum (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	40 - 60	-

  

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
90-72-2	202-013-9	2,4,6-tris(dimethylaminomethyl)phenol	1 - 5	Acute Tox. 4, H302 / Eye Irrit. 2, H319 / Skin Irrit. 2, H315
112-24-3	203-950-6	3,6-diazaoctanethylenediamin	< 10	Acute Tox. 4, H312 / Skin Corr. 1B, H314 / Skin Sens. 1, H317 / Aquatic Chronic 3, H412
14807-96-6	238-877-9	talcum (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	40 - 60	

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove contaminated soaked clothing immediately.

#### In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

#### In case of skin contact

In case of contact with skin wash off with soap and water.

Consult a doctor if skin irritation persists.

#### In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

#### In case of ingestion

Give activated charcoal.

Do not induce vomiting.

If swallowed by mistake drink plenty of water and seek medical treatment.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Treatment (Advice to doctor)

In the event of pulmonary irritation treat initially with dexamethasone metered-dose aerosol.

---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Foam  
Dry fire-extinguishing substance  
Carbon dioxide  
Water spray jet

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Fire gas of organic material has to be classed invariably as respiratory poison.  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon monoxide (CO)  
Carbon dioxide (CO<sub>2</sub>)

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.  
Use breathing apparatus with independent air supply ( isolated ).

#### Additional information

Collect contaminated firefighting water separately, must not be discharged into the drains.

---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.  
Use personal protective clothing.  
Keep away sources of ignition.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.  
Do not discharge into the subsoil/soil.

### 6.3. Methods and material for containment and cleaning up

Take up with absorbent material.  
After taking up the material dispose according to regulation.

### 6.4. Reference to other sections

No information available.

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid formation of aerosols.  
Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.  
Open and handle container with care!

#### General protective measures

Avoid contact with eyes and skin  
Do not inhale gases/vapours/aerosols.

#### Hygiene measures

At work do not eat, drink and smoke.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking  
Take precautionary measures against static discharges.  
Pay attention to general rules of internal fire prevention.



## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep in closed original container.

### Advice on storage compatibility

Do not store together with animal feedstuffs.

Do not store together with food.

### Further information on storage conditions

Keep container tightly closed.

Storage temperature between 2°C to 40°C

## 7.3. Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Ingredients with occupational exposure limits to be monitored

CAS No	Name	Code	[mg/m <sup>3</sup> ]	[ppm]	Remark
14807-96-6	Talc respirable dust	8 hours	1		EH40/2005

### 8.2. Exposure controls

#### Respiratory protection

If ventilation insufficient, wear respiratory protection.

#### Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.  
Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: Nitrile rubber; 0,4mm;480min; 60min.

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: butyl rubber, 0,7mm; 480min

#### Eye protection

tightly fitting goggles

#### Skin protection

langärmelige Arbeitskleidung

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Form

pasty

#### Colour

green

#### Odour

hardly noticeable

#### Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
<b>pH value in delivery state</b>	11-12	20 °C			1:1 in water
<b>boiling point</b>	> 200 °C				
<b>decomposition point</b>	> 200 °C				
<b>Flash point</b>	> 100 °C			DIN 51758	
<b>Solubility in water</b>		20 °C			miscible



## 9.2. Other information

No information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

No information available.

### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

No information available.

### 10.5. Incompatible materials

#### Materials to avoid

Reactions with strong acids and alkalies.

Reactions with strong oxidising agents.

### 10.6. Hazardous decomposition products

Smoke.

Carbon monoxide and carbon dioxide.

Nitrous oxides (NOx)

Toxic gases/vapours

### Thermal decomposition

Remark No decomposition below 200°C.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity/Irritability/Sensitization

	Value/Validation	Species	Method	Remark
<b>LD50 acute oral</b>	> 5000 mg/kg	rat		
<b>Irritability skin</b>	irritant	rabbit		
<b>Irritability eye</b>	irritant	rabbit eye		
<b>Skin sensitization</b>	sensitizing	Guinea pig		

#### Additional information

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

Labelling in compliance with the assessment procedure specified in the EC guidelines 1999/45/EC.

## SECTION 12: Ecological information

### 12.1. Toxicity

No information available.

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.



No information available.

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

#### 12.6. Other adverse effects

##### General regulation

Do not allow uncontrolled leakage of product into the environment.  
Product is not allowed to be discharged into aquatic environment.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Waste code No.

07 02 04\*

##### Name of waste

other organic solvents, washing liquids and mother liquors

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 91/689/EEC on hazardous waste.

##### Recommendations for the product

Remove in accordance with local official regulations.  
Product rests: send for disposal, e.g. special waste incineration.

##### Recommendations for packaging

Empty containers can be deposited after cleaning in accordance with the local waste regulations.

## SECTION 14: Transport information

##### Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

##### Special precautions for user

No information available.

##### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### VOC standard

##### Remark

Daten separat anfragen / Request data separately.

#### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

##### Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

##### Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

##### Wording of the R/H-phrases specified in chapter 3 (not the classification of the mixture!)

R 21 Harmful in contact with skin.

R 22 Harmful if swallowed.

R 34 Causes burns.



Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 17.05.2013

revision 06.05.2013 (GB) Version 8.0

**Plastic-Metal A Hardener (GB)**

---

R 36/38 Irritating to eyes and skin.

R 43 May cause sensitisation by skin contact.

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.