

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Printed 17.05.2013 revision 06.05.2013 (GB) Version 8.0 Plastic-Metal B Resin (GB)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product

Plastic-Metal B Resin (GB) Code-Nr. 100501

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended intended purpose(s)

2-Component Epoxy Resin - Resin Component

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor	WEICON GmbH & Co. KG Königsberger Straße 255, DE-48157 Münster Postbox 84 60, DE-48045 Münster Phone ++49(0)251 / 9322 - 0, Fax ++49(0)251 / 9322-244 E-Mail : info@weicon.de Internet : www.weicon.de
Advice	Abteilung Angebote, Verkauf, Export Phone ++49(0)251 / 9322 - 0 E-mail (competent person): info@weicon.de
1.4. Emergency telephone number	
Emergency advice	Giftnotruf Bonn: Bei Vergiftungen (in case of poisoning) Phone ++49(0)228-19 240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to 67/548/EEC or 1999/45/EC

Xi; R36/38 R43 R52/53 R-phrases 36/38 43 52/53	Irritating to eyes and skin. May cause sensitisation by skin contact.
52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements

Labelling according to 1999/45/EC

Remarks for labelling

The product is classified and labelled in accordance with EC directives.

Xi Irritant

R-phrases

36/38 43 52/53	Irritating to eyes and skin. May cause sensitisation by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
S-phrases	
2	Keep out of the reach of children.
28	After contact with skin, wash immediately with plenty of water and soap.
36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
46	If swallowed, seek medical advice immediately and show this container or label.
61	Avoid release to the environment. Refer to special instructions/safety data sheets.



Hazardous ingredients for labeling

1,6-bis(2,3-epoxypropoxy)hexane, Bisphenol-A-Epichlorhydrinharze mit durchschnittlichem Molekulargewicht < 700, bisphenol f epoxy resin

Special rules for supplemental label elements for certain mixtures

Contains epoxy constituents. See information supplied by the manufacturer.

2.3. Other hazards

Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Description Formulated Bisphenol-A-Epoxy Resin.

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to 67/548/EEC
25068-38-6	500-033-5	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight <= 700)	4 - 10	Xi R36/38; R43; N R51-53
14807-96-6	238-877-9	talcum (Mg3H2(SiO3)4)	4 - 10	-
16096-31-4	240-260-4	1,6-bis(2,3-epoxypropoxy)hexane	1 - 7	Xi R36/38; R43; R52/53
9003-36-5	500-006-8	bisphenol f epoxy resin	1 - 7	Xi, R36/38, R43, NR51/53
CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
25068-38-6	500-033-5	reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight <= 700)	4 - 10	Eye Irrit. 2, H319 / Skin Irrit. 2, H315 / Skin Sens. 1, H317 / Aquatic Chronic 2, H411
14807-96-6	238-877-9	talcum (Mg3H2(SiO3)4)	4 - 10	
16096-31-4	240-260-4	1,6-bis(2,3-epoxypropoxy)hexane	1 - 7	Eye Irrit. 2, H319 / Skin Irrit. 2, H315 / Skin Sens. 1, H317 / Aquatic Chronic 3, H412
9003-36-5	500-006-8	bisphenol f epoxy resin	1 - 7	Eye Irrit. 2, H319 / Skin Irrit. 2, H315 / Skin Sens. 1, H317 / Aquatic Chronic 2, H411
REACH				
CAS No	Name			REACH registration number
25068-38-6	reaction prod molecular we	luct: bisphenol-A-(epichlorhydrin) epoxy resin (number ight <= 700)	average	01-2119456619-26-xxxx

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Remove contaminated soaked clothing immediately.

In case of inhalation

Ensure of fresh air. In the event of symptoms refer for medical treatment.

In case of skin contact

In case of contact with skin wash off with soap and water. Consult a doctor if skin irritation persists.



In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

In case of ingestion Do not induce vomiting. Refer to medical treatment. If swallowed by mistake drink plenty of water and seek medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed No information available.

No mormation available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Foam Dry fire-extinguishing substance Carbon dioxide Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Fire gas of organic material has to be classed invariably as respiratory poison. In case of fire formation of dangerous gases possible. Carbon monoxide (CO) Carbon dioxide (CO2)

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply. Fire-fighting operations, rescue and clearing work under effect of combustion and smoulder gases just may be done with breathing apparatus.

Additional information

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Collect contaminated firefighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective clothing. Keep away sources of ignition.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Take up with absorbent material. After taking up the material dispose according to regulation.

6.4. Reference to other sections

No information available.



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace. Open and handle container with care!

General protective measures

Avoid contact with eyes and skin Do not inhale gases/vapours/aerosols.

Hygiene measures

At work do not eat, drink and smoke.

Advice on protection against fire and explosion Keep away from sources of ignition - No smoking

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels Keep in closed original container.

Advice on storage compatibility

Do not store together with animal feedstuffs. Do not store together with food.

Further information on storage conditions

Storage temperature between 2°C to 40°C

7.3. Specific end use(s) No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
14807-96-6	Talc respirable dust	8 hours	1		EH40/2005

8.2. Exposure controls

Respiratory protection

If ventilation insufficient, wear respiratory protection.

Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves. Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: natural rubber, 0,6mm; 480min; 60min;

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

Eye protection

tightly fitting goggles protective shield

Skin protection

langärmelige Arbeitskleidung



SECTION 9: Physical and chemical properties

Form pasty	-	Colour Jlack		Odour hardly not	iceable
Important health, safety and	d environmental i	information			
	Value	Temperature	at	Method	Remark
pH value in delivery state	ca. 7	25			1:1 in water
Flash point	> 200 °C			DIN 51758	Pensky-Martens Closed Cup
Vapour pressure	< 0,2 Pa	20 °C			
Relative density	3,28 g/cm3	25 °C			
Solubility in water		20 °C			more or less insoluble
Viscosity dynamic	190 - 200 Pa*s	50 °C			

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability No information available.

10.3. Possibility of hazardous reactions No information available.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials Materials to avoid

Reactions with strong acids and alkalies. Reactions with strong oxidising agents.

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide. Toxic gases/vapours

Thermal decomposition

Remark No decomposition below 200°C.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritability/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	> 2000 mg/kg	rat		
Irritability skin	irritant	rabbit		



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Printed 17.05.2013 revision 06.05.2013 (GB) Version 8.0 Plastic-Metal B Resin (GB)

	Value/Validation	Species	Method	Remark
Irritability eye	irritant	rabbit eye		
Skin sensitization	sensitizing	Guinea pig		
Experiences made fr Sensitization through				
Other hazardous prop	on landled with the caution perties may not be exclu be with the assessment	ded.	he EC guidelines 1999	9/45/EC.
12.1. Toxicity	gical information			
No information availab	ole.			
12.2. Persistence an	d degradability Elimination rate	Method of analysis	Method	Validation
Biological degradability				not readily degradable
12.3. Bioaccumulativ				
12.4. Mobility in soil No information availab	ble.			
	and vPvB assessmen not meet the PBT/vPvB effects		ex XIII.	
General regulation Do not allow uncontro Product is not allowed	lled leakage of product I to be discharged into a	into the environment. aquatic environment.		
CTION 13: Dispo	sal consideration	6		
13.1. Waste treatmer Waste code No. 07 02 08*	Name	of waste still bottoms and reaction	n residues	
Wastes marked with a	an asterisk are consider	ed to be hazardous was	ste pursuant to Directiv	ve 91/689/EEC on hazardous waste.
Recommendations f Remove in accordance	or the product e with local official regu	lations.		

Recommendations for packaging

Empty containers can be deposited after cleaning in accordance with the local waste regulations.

SECTION 14: Transport information

Transport/further information

No dangerous goods as defined by the transport regulations - ADR/RID, IMDG, ICAO/IATA-DGR.

Special precautions for user

No information available.



Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC standard

Remark

Daten separat anfragen / Request data separately.

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product. Listed in: EINECS; TSCA; DSL; AICS; KECI (KR); ENCS (JP).

Wording of the R/H-phrases specified in chapter 3 (not the classification of the mixture!)

R 36/38 Irritating to eyes and skin.

R 43 May cause sensitisation by skin contact.

R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.